

## AMENDMENTS TO THE CLAIMS

Claims 1, 19, 38 and 39 are amended herein. This listing of claims will replace all prior versions, and listings, of claims in the application:

### Listing of Claims:

1. (Currently Amended) A method of drawing a brush stroke with a bitmap brush, the bitmap brush comprising a bitmap image having pixels, the brush stroke rendered relative to a guideline, ~~the guideline~~specifying an arbitrary path for the brush stroke, the method comprising ~~the steps of:~~

determining a first polygon on the guideline; determining a first segment in the bitmap brush corresponding to the first polygon on the guideline, ~~wherein the bitmap brush is a virtual paint brush specified by a bitmap image~~; and applying a first transformation to a portion of the bitmap image mapped in the first segment in the bitmap brush to generate a corresponding bitmap image in the first polygon on the guideline.

2. (Original) The method of claim 1 wherein the step of determining the first polygon comprises:

making a piece-wise linear approximation of the curved guideline, the piece-wise approximation having a plurality of line segments that are connected end to end; generating sides of the first polygon at a first line segment in the plurality of line segments, by drawing lines of specified length at the endpoints of the first line segment at least at one specified angle to the first line segment; and connecting the ends of the lines of specified length to complete the first polygon.

3. (Previously Presented) The method of claim 2 wherein the step of generating sides of the first polygon comprises:

generating a first side at a specified angle to a first line segment in the plurality of line segments, the first side having two first endpoints defining a length corresponding to a first desired thickness of the brush stroke at one end of the first line segment; generating a second side at the specified angle to a second line segment in the plurality of line segments, and wherein the first line segment is adjacent to the second line segment, the second side having two second endpoints defining a length corresponding to a second desired thickness of the brush stroke at one end of the second line segment; and defining a first polygon having corners defined by the two first endpoints and the two second endpoints.

4. (Original) The method of claim 2 wherein the step of generating sides of the first polygon comprises:

generating a first side, the first side having two first endpoints defining a length corresponding to a first desired thickness of the brush stroke at one end of the first line segment, wherein, furthermore, the first side dividing the angle between the first line segment in the guideline and an adjacent second line segment in the guideline; generating a second side, the second side having two second endpoints defining a length corresponding to a second desired thickness of the brush stroke at one end of the second line segment, wherein, furthermore, the second side dividing the angle between the second line segment in the guideline and an adjacent third line segment in the guideline; and defining a polygon having corners defined by the two first endpoints and the two second endpoints.

5. (Original) The method of claim 4 wherein the first side bisects the angle between the first line segment in the guideline and the adjacent second line segment in the guideline.

6. (Original) The method of claim 1 wherein the guideline forms a closed loop.

7. (Original) The method of claim 1 wherein the first transformation is a bilinear transformation.

8. (Original) The method of claim 7 wherein one of corner points of the first polygon is used to generate at least one parameter for the bilinear transformation.

9. (Original) The method of claim 1 wherein the first transformation is a texture mapping.

10. (Original) The method of claim 1 wherein a desired thickness for the brush stroke at a point on the curved guideline corresponds to a separation between a first line and a second line in the guideline.

11. (Original) The method of claim 2 wherein the step of making a piece-wise linear approximation of the guideline comprises:

selecting one of the lines in the guideline; and generating end to end connected linear segments, each of the linear segments approximating a segment of the selected line in the guideline.

12. (Original) The method of claim 11 wherein the step of generating end-to-end connected linear segments further includes dividing a linear segment into additional end-to-end connected linear segments in response to a user selection.

13. (Previously Presented) The method of claim 11 wherein the guideline has two lines specifying the thickness of the brush stroke, wherein furthermore the step of determining a first polygon comprises selecting a segment in one of the lines specifying the thickness of the brush stroke, and selecting another line segment in another of the lines specifying the thickness of the brush stroke; and connecting ends of the selected line segments with straight lines to form the first polygon such that the first polygon is a convex polygon.

14. (Original) The method of claim 11 wherein the guideline has two lines specifying the thickness of the brush stroke, wherein furthermore the step of determining a first polygon comprises: selecting a line segment in one of the lines specifying the thickness of the brush stroke, and selecting a point in another of the lines specifying the thickness of the brush stroke; and connecting ends of the selected line segment with straight lines to the selected point to form the first polygon such that the first polygon is a convex polygon.

15. (Original) The method of claim 11 wherein the step of generating end-to-end connected linear segments for one of the lines in the guideline further includes adding a linear segment adjacent to another linear segment at an angle greater than a specified corner threshold.

16. (Original) The method of claim 11 wherein the step of generating end-to-end connected linear segments for one of the lines in the guideline further includes replacing a sharp curve, the sharp curve defined by two adjacent linear segments making an angle with each other of less than a specified corner threshold, by a rounded corner prior to generating end-to-end connected linear segments.

17. (Original) The method of claim 2 wherein the step of generating the first polygon includes truncating a portion of the first polygon overlapping with a second polygon to generate a first convex polygon and a second convex polygon.

18. (Original) The method of claim 17 wherein the step of applying the first transformation uses a modified first segment in the bitmap brush, the modified first segment having proportionally reduced brush thickness to correspond to the first convex polygon, to generate a corresponding image in the first convex polygon.

19. (Currently Amended) A computer-readable medium having computer-executable instructions embodied thereon for performing ~~steps of~~ a method for drawing a brush stroke with a bitmap brush, the bitmap brush comprising a bitmap image having pixels, the brush stroke rendered relative to a guideline, ~~the guideline~~specifying an arbitrary path for the brush stroke, the method~~steps~~ comprising:

determining a first polygon on the guideline; determining a first segment in the bitmap brush corresponding to the first polygon on the guideline, ~~wherein the bitmap brush is a virtual paint brush specified by a bitmap image;~~ and applying a first transformation to a portion of the bitmap image mapped in the

first segment in the bitmap brush to generate a corresponding bitmap image in the first polygon on the guideline.

20. (Previously Presented) The computer-readable medium as in claim 19, wherein the step of determining the first polygon comprises:

making a piece-wise linear approximation of the curved guideline, the piece-wise approximation having a plurality of line segments that are connected end to end; generating sides of the first polygon at a first line segment in the plurality of line segments by drawing lines of specified length at the endpoints of the first line segment at least one specified angle to the first line segment; and connecting the ends of the lines to complete the first polygon.

21. (Previously Presented) The computer-readable medium as in claim 19, wherein the step of generating sides of the first polygon comprises:

generating a first side at a specified angle to a first line segment in the plurality of line segments, the first side having two first endpoints defining a length corresponding to a first desired thickness of the brush stroke at one end of the first line segment;

generating a second side at the specified angle to a second line segment in the plurality of line segments, and wherein the first line segment is adjacent to the second line segment, the second side having two second endpoints defining a length corresponding to a second desired thickness of the brush stroke at one end of the second line segment; and

defining a first polygon having corners defined by the two first endpoints and the two second endpoints.

22. (Original) The computer-readable medium as in claim 19, wherein the step of generating sides of the first polygon comprises:

generating a first side, the first side having two first endpoints defining a length corresponding to a first desired thickness of the brush stroke at one end of the first line segment, wherein, furthermore, the first side dividing the angle between the first line segment in the guideline and an adjacent second line segment in the guideline;

generating a second side, the second side having two second endpoints defining a length corresponding to a second desired thickness of the brush stroke at one end of the second line segment, wherein, furthermore, the second side dividing the angle between the second line segment in the guideline and an adjacent third line segment in the guideline; and

defining a polygon having corners defined by the two first endpoints and the two second endpoints.

23. (Original) The computer-readable medium as in claim 22, wherein the first side bisects the angle between the first line segment in the guideline and the adjacent second line segment in the guideline.

24. (Original) The computer-readable medium as in claim 19 wherein the guideline forms a closed loop.

25. (Original) The computer-readable medium as in claim 19 wherein the first transformation is a bilinear transformation.

26. (Original) The computer-readable medium as in claim 25 wherein one of corner points of the first polygon is used to generate at least one parameter for the bilinear transformation.

27. (Original) The computer-readable medium as in claim 19 wherein the first transformation is a texture mapping.

28. (Original) The computer-readable medium as in claim 19 wherein a desired thickness for the brush stroke at a point on the curved guideline corresponds to a separation between a first line and a second line in the guideline.

29. (Original) The computer-readable medium as in claim 20 wherein the step of making a piece-wise linear approximation of the guideline comprises:

selecting one of the lines in the guideline; and generating end to end connected linear segments, each of the linear segments approximating a segment of the selected line in the guideline.

30. (Original) The computer-readable medium as in claim 29 wherein the step of generating end-to-end connected linear segments further includes dividing a linear segment into additional end-to-end connected linear segments in response to a user selection.



31. (Original) The computer-readable medium as in claim 29, wherein the step of generating end-to-end connected linear segments for one of the lines in the guideline, the guideline having two or more lines wherein the separation between the lines corresponds to a desired thickness of the brush stroke, further includes dividing a linear segment into additional end-to-end connected linear segments if the change in the separation between the two lines over the linear segment is greater than a specified thickness threshold.

32. (Previously Presented) The computer-readable medium as in claim 29 wherein the guideline has two lines specifying the thickness of the brush stroke, wherein furthermore the step of determining a first polygon comprises selecting a line segment in one of the lines specifying the thickness of the brush stroke, and selecting another line segment in another of the lines specifying the thickness of the brush stroke; and connecting ends of the selected line segments with straight lines to form the first polygon such that the first polygon is a convex polygon.

33. (Original) The computer-readable medium as in claim 29 wherein the guideline has two lines specifying the thickness of the brush stroke, wherein furthermore the step of determining a first polygon comprises: selecting a line segment in one of the lines specifying the thickness of the brush stroke, and selecting a point in another of the lines specifying the thickness of the brush stroke; and connecting ends of the selected line segment with straight lines to the selected point to form the first polygon such that the first polygon is a convex polygon.

34. (Original) The computer-readable medium as in claim 29 wherein the step of generating end-to-end connected linear segments for one of the lines in the guideline further includes adding a linear segment adjacent to another linear segment at an angle greater than a specified corner threshold.

35. (Original) The computer-readable medium as in claim 29, wherein the step of generating end-to-end connected linear segments for one of the lines in the guideline further includes replacing a sharp curve, the sharp curve defined by two adjacent linear segments making an angle with each other of less than a specified corner threshold, by a rounded corner prior to generating end-to-end connected linear segments.

36. (Original) The computer-readable medium as in claim 19, wherein the step of generating the first polygon includes truncating a portion of the first polygon overlapping with a second polygon to generate a first convex polygon and a second convex polygon.

37. (Original) The computer-readable medium as in claim 36, wherein the step of applying the first transformation uses a modified first segment in the bitmap brush, the modified first segment having proportionally reduced brush thickness to correspond to the first convex polygon, to generate a corresponding image in the first convex polygon.

38. (Currently Amended) A system for rendering a warped brush stroke using a bitmap brush and a guideline, the bitmap brush comprising a bitmap image having pixels, the guideline specifying an arbitrary path for the brush stroke, the system comprising:

a linearization module for generating a plurality of line segments approximating a curved line representing the guideline; a sharp corner correcting module for detecting a corner defined by an angle between two adjacent line

segments that is smaller than a corner threshold and adding line segments at angles greater than or equal to the corner threshold; a polygon generating module for generating a polygon corresponding to one of the plurality of line segments; a polygon corner identifying module for identifying~~that identifies~~ corners of thea polygon generated by the polygon generating module~~corresponding to one of the plurality of a line segments~~; a mapping module for identifying~~that identifies~~ a segment of the bitmap brush, ~~wherein the bitmap brush is a virtual paint brush specified by a bitmap image~~, corresponding to the polygon generated~~one of the polygons identified~~ by the polygon generating~~identifying~~ module, the segment of the bitmap brush having corners corresponding to the corners of the polygon identified by the polygon corner identifying module; and a rendering module for rendering~~that renders~~ the segment of the bitmap brush into thea corresponding polygon.

39. (Currently Amended) The system of claim 38 wherein the polygon corner identifying~~generating~~ module ~~that identifies~~ corners of a polygon by truncating overlaps between adjacent polygons to generate corners of a convex polygon.